



**SOUTH FLORIDA WATER MANAGEMENT DISTRICT
ENVIRONMENTAL RESOURCE
STANDARD GENERAL PERMIT NO. 48-00714-S
DATE ISSUED: September 6, 2006**

Form #0941
08/95

PERMITTEE: WALT DISNEY WORLD COMPANY
P O BOX 10170
LAKE BUENA VISTA, FL 32830-0170

PROJECT DESCRIPTION: Construction and operation of a surface water management system to serve a 2.89-acre commercial project known as DVC @ The Contemporary Construction Trailer Compound.

PROJECT LOCATION: ORANGE COUNTY, SEC 13 TWP 24S RGE 27E

PERMIT DURATION: See Special Condition No:1. See attached Rule 40E-4.321, Florida Administrative Code.

This is to notify you of the District's agency action concerning Notice of Intent for Permit Application No. 060713-12, dated July 13, 2006. This action is taken pursuant to Rule 40E-1.603 and Chapter 40E-40, Florida Administrative Code (F.A.C.).

Based on the information provided, District rules have been adhered to and an Environmental Resource General Permit is in effect for this project subject to:


1. Not receiving a filed request for a Chapter 120, Florida Statutes, administrative hearing.
2. the attached 19 General Conditions (See Pages : 2 - 4 of 6),
3. the attached 17 Special Conditions (See Pages : 5 - 6 of 6) and
4. the attached 8 Exhibit(s)

Should you object to these conditions, please refer to the attached "Notice of Rights" which addresses the procedures to be followed if you desire a public hearing or other review of the proposed agency action. Please contact this office if you have any questions concerning this matter. If we do not hear from you in accordance with the "Notice of Rights," we will assume that you concur with the District's action.

CERTIFICATE OF SERVICE

I HEREBY CERTIFY that a "Notice of Rights" has been mailed to the Permittee (and the persons listed in the attached distribution list) no later than 5:00 p.m. on this 6th day of September, 2006, in accordance with Section 120.60(3), Florida Statutes.

BY:


Thomas P. Genovese
Service Center Director
Orlando Service Center

Certified mail number 7006 0810 0006 7055 0371

40E-4.321 Duration of Permits

(1) Unless revoked or otherwise modified the duration of an environmental resource permit issued under this chapter or Chapter 40E-40, F.A.C. is as follows:

(a) For a conceptual approval, two years from the date of issuance or the date specified as a condition of the permit, unless within that period an application for an individual or standard general permit is filed for any portion of the project. If an application for an environmental resource permit is filed, then the conceptual approval remains valid until final action is taken on the environmental resource permit application. If the application is granted, then the conceptual approval is valid for an additional two years from the date of issuance of the permit. Conceptual approvals which have no individual or standard general environmental resource permit applications filed for a period of two years shall expire automatically at the end of the two year period.

(b) For a conceptual approval filed concurrently with a development of regional impact (DRI) application for development approval (ADA) and a local government comprehensive plan amendment, the duration of the conceptual approval shall be two years from whichever one of the following occurs at the latest date:

1. the effective date of the local government's comprehensive plan amendment.
2. the effective date of the local government development order.
3. the date on which the District issues the conceptual approval, or
4. the latest date of the resolution of any Chapter 120.57, F.A.C., administrative proceeding or other legal appeals.

(c) For an individual or standard general environmental resource permit, five years from the date of issuance or such amount of time as made a condition of the permit.

(d) For a noticed general permit issued pursuant to chapter 40-E-400, F.A.C., five years from the date the notice of intent to use the permit is provided to the District.

(2)(a) Unless prescribed by special permit condition, permits expire automatically according to the timeframes indicated in this rule. If application for extension is made in writing pursuant to subsection (3), the permit shall remain in full force and effect until:

1. the Governing Board takes action on an application for extension of an individual permit,
- or

2. staff takes action on an application for extension of a standard general permit.

(b) Installation of the project outfall structure shall not constitute a vesting of the permit.

(3) The permit extension shall be issued provided that a permittee files a written request with the District showing good cause prior to the expiration of the permit. For the purpose of this rule, good cause shall mean a set of extenuating circumstances outside of the control of the permittee. Requests for extensions, which shall include documentation of the extenuating circumstances and how they have delayed this project, will not be accepted more than 180 days prior to the expiration date.

(4) Substantial modifications to Conceptual Approvals will extend the duration of the Conceptual Approval for two years from the date of issuance of the modification. For the purposes of this section, the term "substantial modification" shall mean a modification which is reasonably expected to lead to substantially different water resource or environmental impacts which require a detailed review.

(5) Substantial modifications to individual or standard general environmental resource permits issued pursuant to a permit application extend the duration of the permit for three years from the date of issuance of the modification. Individual or standard general environmental resource permit modifications do not extend the duration of a conceptual approval.

(6) Permit modifications issued pursuant to subsection 40E-4.331(2)(b), F.A.C. (letter modifications) do not extend the duration of a permit.

(7) Failure to complete construction or alteration of the surface water management system and obtain operation phase approval from the District within the permit duration shall require a new permit authorization in order to continue construction unless a permit extension is granted.

GENERAL CONDITIONS

1. All activities authorized by this permit shall be implemented as set forth in the plans, specifications and performance criteria as approved by this permit. Any deviation from the permitted activity and the conditions for undertaking that activity shall constitute a violation of this permit and Part IV, Chapter 373, F.S.
2. This permit or a copy thereof, complete with all conditions, attachments, exhibits, and modifications shall be kept at the work site of the permitted activity. The complete permit shall be available for review at the work site upon request by District staff. The permittee shall require the contractor to review the complete permit prior to commencement of the activity authorized by this permit.
3. Activities approved by this permit shall be conducted in a manner which does not cause violations of State water quality standards. The permittee shall implement best management practices for erosion and pollution control to prevent violation of State water quality standards. Temporary erosion control shall be implemented prior to and during construction, and permanent control measures shall be completed within 7 days of any construction activity. Turbidity barriers shall be installed and maintained at all locations where the possibility of transferring suspended solids into the receiving waterbody exists due to the permitted work. Turbidity barriers shall remain in place at all locations until construction is completed and soils are stabilized and vegetation has been established. All practices shall be in accordance with the guidelines and specifications described in Chapter 6 of the Florida Land Development Manual; A Guide to Sound Land and Water Management (Department of Environmental Regulation, 1988), incorporated by reference in Rule 40E-4.091, F.A.C. unless a project-specific erosion and sediment control plan is approved as part of the permit. Thereafter the permittee shall be responsible for the removal of the barriers. The permittee shall correct any erosion or shoaling that causes adverse impacts to the water resources.
4. The permittee shall notify the District of the anticipated construction start date within 30 days of the date that this permit is issued. At least 48 hours prior to commencement of activity authorized by this permit, the permittee shall submit to the District an Environmental Resource Permit Construction Commencement Notice Form Number 0960 indicating the actual start date and the expected construction completion date.
5. When the duration of construction will exceed one year, the permittee shall submit construction status reports to the District on an annual basis utilizing an annual status report form. Status report forms shall be submitted the following June of each year.
6. Within 30 days after completion of construction of the permitted activity, the permittee shall submit a written statement of completion and certification by a professional engineer or other individual authorized by law, utilizing the supplied Environmental Resource/Surface Water Management Permit Construction Completion/Certification Form Number 0881A, or Environmental Resource/Surface Water Management Permit Construction Completion Certification - For Projects Permitted prior to October 3, 1995 Form No. 0881B, incorporated by reference in Rule 40E-1.659, F.A.C. The statement of completion and certification shall be based on onsite observation of construction or review of as-built drawings for the purpose of determining if the work was completed in compliance with permitted plans and specifications. This submittal shall serve to notify the District that the system is ready for inspection. Additionally, if deviation from the approved drawings are discovered during the certification process, the certification must be accompanied by a copy of the approved permit drawings with deviations noted. Both the original and revised specifications must be clearly shown. The plans must be clearly labeled as "as-built" or "record" drawings. All surveyed dimensions and elevations shall be certified by a registered surveyor.
7. The operation phase of this permit shall not become effective: until the permittee has complied with the requirements of condition (6) above, and submitted a request for conversion of Environmental Resource Permit from Construction Phase to Operation Phase, Form No. 0920; the District determines the system to be in compliance with the permitted plans and specifications; and the entity approved by the District in accordance with Sections 9.0 and 10.0 of the Basis of Review for Environmental Resource Permit Applications within the South Florida Water Management District, accepts responsibility for operation and

GENERAL CONDITIONS

maintenance of the system. The permit shall not be transferred to such approved operation and maintenance entity until the operation phase of the permit becomes effective. Following inspection and approval of the permitted system by the District, the permittee shall initiate transfer of the permit to the approved responsible operating entity if different from the permittee. Until the permit is transferred pursuant to Section 40E-1.6107, F.A.C., the permittee shall be liable for compliance with the terms of the permit.

8. Each phase or independent portion of the permitted system must be completed in accordance with the permitted plans and permit conditions prior to the initiation of the permitted use of site infrastructure located within the area served by that portion or phase of the system. Each phase or independent portion of the system must be completed in accordance with the permitted plans and permit conditions prior to transfer of responsibility for operation and maintenance of the phase or portion of the system to a local government or other responsible entity.
9. For those systems that will be operated or maintained by an entity that will require an easement or deed restriction in order to enable that entity to operate or maintain the system in conformance with this permit, such easement or deed restriction must be recorded in the public records and submitted to the District along with any other final operation and maintenance documents required by Sections 9.0 and 10.0 of the Basis of Review for Environmental Resource Permit applications within the South Florida Water Management District, prior to lot or units sales or prior to the completion of the system, whichever comes first. Other documents concerning the establishment and authority of the operating entity must be filed with the Secretary of State, county or municipal entities. Final operation and maintenance documents must be received by the District when maintenance and operation of the system is accepted by the local government entity. Failure to submit the appropriate final documents will result in the permittee remaining liable for carrying out maintenance and operation of the permitted system and any other permit conditions.
10. Should any other regulatory agency require changes to the permitted system, the permittee shall notify the District in writing of the changes prior to implementation so that a determination can be made whether a permit modification is required.
11. This permit does not eliminate the necessity to obtain any required federal, state, local and special district authorizations prior to the start of any activity approved by this permit. This permit does not convey to the permittee or create in the permittee any property right, or any interest in real property, nor does it authorize any entrance upon or activities on property which is not owned or controlled by the permittee, or convey any rights or privileges other than those specified in the permit and Chapter 40E-4 or Chapter 40E-40, F.A.C..
12. The permittee is hereby advised that Section 253.77, F.S. states that a person may not commence any excavation, construction, or other activity involving the use of sovereign or other lands of the State, the title to which is vested in the Board of Trustees of the Internal Improvement Trust Fund without obtaining the required lease, license, easement, or other form of consent authorizing the proposed use. Therefore, the permittee is responsible for obtaining any necessary authorizations from the Board of Trustees prior to commencing activity on sovereignty lands or other state-owned lands.
13. The permittee must obtain a Water Use permit prior to construction dewatering, unless the work qualifies for a general permit pursuant to Subsection 40E-20.302(3), F.A.C., also known as the "No Notice" Rule.
14. The permittee shall hold and save the District harmless from any and all damages, claims, or liabilities which may arise by reason of the construction, alteration, operation, maintenance, removal, abandonment or use of any system authorized by the permit.
15. Any delineation of the extent of a wetland or other surface water submitted as part of the permit application, including plans or other supporting documentation, shall not be considered binding, unless a specific condition of this permit or a formal determination under Section 373.421(2), F.S., provides otherwise.

GENERAL CONDITIONS

16. The permittee shall notify the District in writing within 30 days of any sale, conveyance, or other transfer of ownership or control of a permitted system or the real property on which the permitted system is located. All transfers of ownership or transfers of a permit are subject to the requirements of Rules 40E-1.6105 and 40E-1.6107, F.A.C.. The permittee transferring the permit shall remain liable for corrective actions that may be required as a result of any violations prior to the sale, conveyance or other transfer of the system.
17. Upon reasonable notice to the permittee, District authorized staff with proper identification shall have permission to enter, inspect, sample and test the system to insure conformity with the plans and specifications approved by the permit.
18. If historical or archaeological artifacts are discovered at any time on the project site, the permittee shall immediately notify the appropriate District service center.
19. The permittee shall immediately notify the District in writing of any previously submitted information that is later discovered to be inaccurate.

SPECIAL CONDITIONS

1. The construction phase of this permit shall expire on September 6, 2011.
2. Operation of the surface water management system shall be the responsibility of REEDY CREEK IMPROVEMENT DISTRICT.
3. Discharge Facilities:
CS: (Discharge only)
95 LF of 15" dia. REINFORCED CONCRETE PIPE culvert.
1-24" W X 37" L drop inlet with crest at elev. 95.5' NGVD.
Receiving body : Existing Master System
Control elev : 92 feet NGVD.
4. The permittee shall be responsible for the correction of any erosion, shoaling or water quality problems that result from the construction or operation of the surface water management system.
5. Measures shall be taken during construction to insure that sedimentation and/or turbidity violations do not occur in the receiving water.
6. The District reserves the right to require that additional water quality treatment methods be incorporated into the drainage system if such measures are shown to be necessary.
7. Facilities other than those stated herein shall not be constructed without an approved modification of this permit.
8. A stable, permanent and accessible elevation reference shall be established on or within one hundred (100) feet of all permitted discharge structures no later than the submission of the certification report. The location of the elevation reference must be noted on or with the certification report.
9. The permittee shall provide routine maintenance of all of the components of the surface water management system in order to remove all trapped sediments/debris. All materials shall be properly disposed of as required by law. Failure to properly maintain the system may result in adverse flooding conditions.
10. This permit is issued based on the applicant's submitted information which reasonably demonstrates that adverse water resource related impacts will not be caused by the completed permit activity. Should any adverse impacts caused by the completed surface water management system occur, the District will require the permittee to provide appropriate mitigation to the District or other impacted party. The District will require the permittee to modify the surface water management system, if necessary, to eliminate the cause of the adverse impacts.
11. Minimum building floor elevation: BASIN: Site - 96.20 feet NGVD.
12. Minimum road crown elevation: Basin: Site - 95.84 feet NGVD.
13. Minimum parking lot elevation: Basin: Site - 95.84 feet NGVD.
14. All special conditions and exhibits previously stipulated by permit number 48-00714-S remain in effect unless otherwise revised and shall apply to this modification.
15. The District reserves the right to require remedial measures to be taken by the permittee if monitoring or other information demonstrates that adverse impacts to onsite or offsite wetlands, upland conservation areas or buffers, or other surface waters have occurred due to project related activities.
16. Silt fencing shall be installed at the limits of construction to protect all areas from silt and sediment deposition during the construction of the project. Floating turbidity barriers shall be installed during the construction of the structures in adjacent canals/water bodies. The silt fencing and the turbidity barriers

SPECIAL CONDITIONS

shall be installed in accordance with "Florida Land Development Manual" Chapter 6 "Stormwater and Erosion and Sediment Control Best Management Practices for Developing Areas". The sediment controls shall be installed prior to the commencement of any clearing or construction. The silt fencing and turbidity barriers shall remain in place and be maintained in good functional condition until all adjacent construction activities have been completed and all fill slopes have been stabilized.

17. Grass seed or sod, shall be installed and maintained on all disturbed areas within 48 hours of completing final grade, and at other times, as necessary, to prevent erosion, sedimentation or turbid discharges into receiving waters and/or adjacent wetlands.

NOTICE OF RIGHTS

Section 120.569(1), Fla. Stat. (1999), requires that "each notice shall inform the recipient of any administrative hearing or judicial review that is available under this section, s. 120.57, or s. 120.68; shall indicate the procedure which must be followed to obtain the hearing or judicial review, and shall state the time limits which apply." Please note that this Notice of Rights is not intended to provide legal advice. Not all the legal proceedings detailed below may be an applicable or appropriate remedy. You may wish to consult an attorney regarding your legal rights.

Petition for Administrative Proceedings

1. A person whose substantial interests are affected by the South Florida Water Management District's (SFWMD) action has the right to request an administrative hearing on that action. The affected person may request either a formal or an informal hearing, as set forth below. A point of entry into administrative proceedings is governed by Rules 28-106.111 and 40E-1.511, Fla. Admin. Code, (also published as an exception to the Uniform Rules of Procedure as Rule 40E-0.109), as set forth below. Petitions are deemed filed upon receipt of the original documents by the SFWMD Clerk.

a. Formal Administrative Hearing: If a genuine issue(s) of material fact is in dispute, the affected person seeking a formal hearing on a SFWMD decision which does or may determine their substantial interests shall file a petition for hearing pursuant to Sections 120.569 and 120.57(1), Fla. Stat. or for mediation pursuant to Section 120.573, Fla. Stat. within 21 days, except as provided in subsections c. and d. below, of either written notice through mail or posting or publication of notice that the SFWMD has or intends to take final agency action. Petitions must substantially comply with the requirements of Rule 28-106.201(2), Fla. Admin. Code, a copy of the which is attached to this Notice of Rights.

b. Informal Administrative Hearing: If there are no issues of material fact in dispute, the affected person seeking an informal hearing on a SFWMD decision which does or may determine their substantial interests shall file a petition for hearing pursuant to Sections 120.569 and 120.57(2), Fla. Stat. or for mediation pursuant to Section 120.573, Fla. Stat. within 21 days, except as provided in subsections c. and d. below, of either written notice through mail or posting or publication of notice that the SFWMD has or intends to take final agency action. Petitions must substantially comply with the requirements of Rule 28-106.301(2), Fla. Admin. Code, a copy of the which is attached to this Notice of Rights.

c. Administrative Complaint and Order:
If a Respondent objects to a SFWMD Administrative Complaint and Order, pursuant to Section 373.119, Fla. Stat. (1997), the person named in the Administrative Complaint and Order may file a petition for a hearing no later than 14 days after the date such order is served. Petitions must substantially comply with the requirements of either subsection a. or b. above.

d. State Lands Environmental Resource Permit: Pursuant to Section 373.427, Fla. Stat., and Rule 40E-1.511(3), Fla. Admin. Code (also published as an exception to the Uniform Rules of Procedure as Rule 40E-0.109(2)(c)), a petition objecting to the SFWMD's agency action regarding consolidated applications for Environmental Resource Permits and Use of Sovereign Submerged Lands (SLERPs), must be filed within 14 days of the notice of consolidated intent to grant or deny the SLERP. Petitions must substantially comply with the requirements of either subsection a. or b. above.

e. Emergency Authorization and Order:
A person whose substantial interests are affected by a SFWMD Emergency Authorization and Order, has a right to file a petition under Sections 120.569, 120.57(1), and 120.57(2), Fla. Stat., as provided in subsections a. and b. above. However, the person, or the agent of the person responsible for causing or contributing to the emergency conditions shall take whatever action necessary to cause immediate compliance with the terms of the Emergency Authorization and Order.

f. Order for Emergency Action: A person whose substantial interests are affected by a SFWMD Order for Emergency Action has a right to file a petition pursuant to Rules 28-107.005 and 40E-1.611, Fla. Admin. Code, copies of which are attached to this Notice of Rights, and Section 373.119(3), Fla. Stat., for a hearing on the Order. Any subsequent agency action or proposed agency action to initiate a formal revocation proceeding shall be separately noticed pursuant to section g. below.

g. Permit Suspension, Revocation, Annulment, and Withdrawal: If the SFWMD issues an administrative complaint to suspend, revoke, annul, or withdraw a permit, the permittee may request a hearing to be conducted in accordance with Sections 120.569 and 120.57, Fla. Stat., within 21 days of either written notice through mail or posting or publication of notice that the SFWMD has or intends to take final agency action. Petitions must substantially comply with the requirements of Rule 28-107.004(3), Fla. Admin. Code, a copy of the which is attached to this Notice of Rights.

2. Because the administrative hearing process is designed to formulate final agency action, the filing of a petition means that the SFWMD's final action may be different from the position taken by it previously. Persons whose substantial interests may be affected by

any such final decision of the SFWMD shall have, pursuant to Rule 40E-1.511(2), Fla. Admin. Code (also published as an exception to the Uniform Rules of Procedure as Rule 40E-0.109(2)(c)), an additional 21 days from the date of receipt of notice of said decision to request an administrative hearing. However, the scope of the administrative hearing shall be limited to the substantial deviation.

3. Pursuant to Rule 40E-1.511(4), Fla. Admin. Code, substantially affected persons entitled to a hearing pursuant to Section 120.57(1), Fla. Stat., may waive their right to such a hearing and request an informal hearing before the Governing Board pursuant to Section 120.57(2), Fla. Stat., which may be granted at the option of the Governing Board.

4. Pursuant to Rule 28-106.111(3), Fla. Admin. Code, persons may file with the SFWMD a request for extension of time for filing a petition. The SFWMD, for good cause shown, may grant the extension. The request for extension must contain a certificate that the petitioner has consulted with all other parties, if any, concerning the extension and that the SFWMD and all other parties agree to the extension.

CIRCUIT COURT

5. Pursuant to Section 373.617, Fla. Stat., any substantially affected person who claims that final agency action of the SFWMD relating to permit decisions constitutes an unconstitutional taking of property without just compensation may seek judicial review of the action in circuit court by filing a civil action in the circuit court in the judicial circuit in which the affected property is located within 90 days of the rendering of the SFWMD's final agency action.

6. Pursuant to Section 403.412, Fla. Stat., any citizen of Florida may bring an action for injunctive relief against the SFWMD to compel the SFWMD to enforce the laws of Chapter 373, Fla. Stat., and Title 40E, Fla. Admin. Code. The complaining party must file with the SFWMD Clerk a verified complaint setting forth the facts upon which the complaint is based and the manner in which the complaining party is affected. If the SFWMD does not take appropriate action on the complaint within 30 days of receipt, the complaining party may then file a civil suit for injunctive relief in the 15th Judicial Circuit in and for Palm Beach County or circuit court in the county where the cause of action allegedly occurred.

7. Pursuant to Section 373.433, Fla. Stat., a private citizen of Florida may file suit in circuit court to require the abatement of any stormwater management system, dam, impoundment, reservoir, appurtenant work or works that violate the provisions of Chapter 373, Fla. Stat.

DISTRICT COURT OF APPEAL

8. Pursuant to Section 120.68, Fla. Stat., a party who is adversely affected by final SFWMD action may seek judicial review of the SFWMD's final decision by filing a notice of appeal pursuant to Florida Rule of Appellate Procedure 9.110 in the Fourth District Court of Appeal or in the appellate district where a party resides and filing a second copy of the notice with the SFWMD Clerk within 30 days of rendering of the final SFWMD action.

LAND AND WATER ADJUDICATORY COMMISSION

9. A party to a "proceeding below" may seek review by the Land and Water Adjudicatory Commission (FLAWAC) of SFWMD's final agency action to determine if such action is consistent with the provisions and purposes of Chapter 373, Fla. Stat. Pursuant to Section 373.114, Fla. Stat., and Rules 42-2.013 and 42-2.0132, Fla. Admin. Code, a request for review of (a) an order or rule of the SFWMD must be filed with FLAWAC within 20 days after rendition of the order or adoption of the rule sought to be reviewed; (b) an order of the Department of Environmental Protection (DEP) requiring amendment or repeal of a SFWMD rule must be filed with FLAWAC within 30 days of rendition of the DEP's order, and (c) a SFWMD order entered pursuant to a formal administrative hearing under Section 120.57(1), Fla. Stat., must be filed no later than 20 days after rendition of the SFWMD's final order. Simultaneous with filing, a copy of the request for review must be served on the DEP Secretary, any person named in the SFWMD or DEP final order, and all parties to the proceeding below. A copy of Rule 42-2.013, Fla. Admin. Code is attached to this Notice of Rights.

PRIVATE PROPERTY RIGHTS PROTECTION ACT

10. A property owner who alleges a specific action of the SFWMD has inordinately burdened an existing use of the real property, or a vested right to a specific use of the real property, may file a claim in the circuit court where the real property is located within 1 year of the SFWMD action pursuant to the procedures set forth in Subsection 70.001(4)(a), Fla. Stat.

LAND USE AND ENVIRONMENTAL DISPUTE RESOLUTION

11. A property owner who alleges that a SFWMD development order (as that term is defined in Section 70.51(2)(a), Fla. Stat. to include permits) or SFWMD enforcement action is unreasonable, or unfairly burdens the use of the real property, may file a request for relief with the SFWMD within 30 days of receipt of the SFWMD's order or notice of agency action pursuant to the procedures set forth in Subsections 70.51(4) and (6), Fla. Stat.

MEDIATION

12. A person whose substantial interests are, or may be, affected by the SFWMD's action may choose mediation as an alternative remedy under Section 120.573, Fla. Stat. Pursuant to Rule 28-106.111(2), Fla. Admin. Code, the petition for mediation shall be filed within 21 days of either written notice through mail or posting or

publication of notice that the SFWMD has or intends to take final agency action. Choosing mediation will not affect the right to an administrative hearing if mediation does not result in settlement.

Pursuant to Rule 28-106.402, Fla. Admin. Code, the contents of the petition for mediation shall contain the following information:

- (1) the name, address, and telephone number of the person requesting mediation and that person's representative, if any;
- (2) a statement of the preliminary agency action;
- (3) an explanation of how the person's substantial interests will be affected by the agency determination; and
- (4) a statement of relief sought.

As provided in Section 120.573, Fla. Stat. (1997), the timely agreement of all the parties to mediate will toll the time limitations imposed by Sections 120.569 and 120.57, Fla. Stat., for requesting and holding an administrative hearing. Unless otherwise agreed by the parties, the mediation must be concluded within 60 days of the execution of the agreement. If mediation results in settlement of the dispute, the SFWMD must enter a final order incorporating the agreement of the parties. Persons whose substantial interest will be affected by such a modified agency decision have a right to petition for hearing within 21 days of receipt of the final order in accordance with the requirements of Sections 120.569 and 120.57, Fla. Stat., and SFWMD Rule 28-106.201(2), Fla. Admin. Code. If mediation terminates without settlement of the dispute, the SFWMD shall notify all parties in writing that the administrative hearing process under Sections 120.569 and 120.57, Fla. Stat., remain available for disposition of the dispute, and the notice will specify the deadlines that then will apply for challenging the agency action.

VARIANCES AND WAIVERS

13. A person who is subject to regulation pursuant to a SFWMD rule and believes the application of that rule will create a substantial hardship or will violate principles of fairness (as those terms are defined in Subsection 120.542(2), Fla. Stat.) and can demonstrate that the purpose of the underlying statute will be or has been achieved by other means, may file a petition with the SFWMD Clerk requesting a variance from or waiver of the SFWMD rule. Applying for a variance or waiver does not substitute or extend the time for filing a petition for an administrative hearing or exercising any other right that a person may have concerning the SFWMD's action. Pursuant to Rule 28-104.002(2), Fla. Admin. Code, the petition must include the following information:

- (a) the caption shall read:
Petition for (Variance from) or (Waiver of) Rule (Citation)
- (b) The name, address, telephone number and any facsimile number of the petitioner;

(c) The name, address telephone number and any facsimile number of the attorney or qualified representative of the petitioner, (if any);

(d) the applicable rule or portion of the rule;

(e) the citation to the statute the rule is implementing;

(f) the type of action requested;

(g) the specific facts that demonstrate a substantial hardship or violation of principals of fairness that would justify a waiver or variance for the petitioner;

(h) the reason why the variance or the waiver requested would serve the purposes of the underlying statute; and

(i) a statement of whether the variance or waiver is permanent or temporary. If the variance or waiver is temporary, the petition shall include the dates indicating the duration of the requested variance or waiver.

A person requesting an emergency variance from or waiver of a SFWMD rule must clearly so state in the caption of the petition. In addition to the requirements of Section 120.542(5), Fla. Stat. pursuant to Rule 28-104.004(2), Fla. Admin. Code, the petition must also include:

a) the specific facts that make the situation an emergency; and

b) the specific facts to show that the petitioner will suffer immediate adverse effect unless the variance or waiver is issued by the SFWMD more expeditiously than the applicable timeframes set forth in Section 120.542, Fla. Stat.

WAIVER OF RIGHTS

14. Failure to observe the relevant time frames prescribed above will constitute a waiver of such right.

28-106.201

INITIATION OF PROCEEDINGS

(INVOLVING DISPUTED ISSUES OF MATERIAL FACT)

(2) All petitions filed under these rules shall contain:

(a) The name and address of each agency affected and each agency's file or identification number, if known;

(b) The name, address, and telephone number of the petitioner; the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding, and an explanation of how the petitioner's substantial interests will be affected by the agency determination;

(c) A statement of when and how the petitioner received notice of the agency decision;

(d) A statement of all disputed issues of material fact. If there are none, the petition must so indicate;

(e) A concise statement of the ultimate facts alleged, as well as the rules and statutes which entitle the petitioner to relief; and

(f) A demand for relief.

28-106.301 INITIATION OF PROCEEDINGS

(NOT INVOLVING DISPUTED ISSUES OF MATERIAL FACT)

(2) All petitions filed under these rules shall contain:

(a) The name and address of each agency affected and each agency's file or identification number, if known;

(b) The name, address, and telephone number of the petitioner; the name, address, and telephone number of the petitioner's representative, if any, which shall be the address for service purposes during the course of the proceeding, and an explanation of how the petitioner's substantial interests will be affected by the agency determination;

(c) A statement of when and how the petitioner received notice of the agency decision;

(d) A concise statement of the ultimate facts alleged, as well as the rules and statutes which entitle the petitioner to relief; and

(e) A demand for relief.

28-107.004 SUSPENSION, REVOCATION, ANNULMENT, OR WITHDRAWAL

(3) Requests for hearing filed in accordance with this rule shall include:

(a) The name and address of the party making the request, for purposes of service;

(b) A statement that the party is requesting a hearing involving disputed issues of material fact, or a hearing not involving disputed issues of material fact; and

(c) A reference to the notice, order to show cause, administrative complaint, or other communication that the party has received from the agency.

42-2.013 REQUEST FOR REVIEW PURSUANT TO SECTION 373.114 OR 373.217

(1) In any proceeding arising under Chapter 373, F.S., review by the Florida Land and Water Adjudicatory Commission may be initiated by the Department or a party by filing a request for such review with the Secretary of the Commission and serving a copy on any person named in the rule or order, and on all parties to the proceeding which resulted in the order sought to be reviewed. A certificate of service showing completion of service as required by this subsection shall be a requirement for a determination of sufficiency under Rule 42-2.0132. Failure to file the request with the Commission within the time period provided in Rule 42-2.0132 shall result in dismissal of the request for review.

(2) The request for review shall identify the rule or order requested to be reviewed, the proceeding in which the rule or order was entered and the nature of the rule or order. A copy of the rule or order sought to be reviewed shall be attached. The request for review shall state with particularity:

(a) How the order or rule conflicts with the requirements, provisions and purposes of Chapter 373, F.S., or rules duly adopted thereunder;

(b) How the rule or order sought to be reviewed affects the interests of the party seeking review;

(c) The oral or written statement, sworn or unsworn, which was submitted to the agency concerning the matter to be reviewed and the date and location of the statement, if the individual or entity requesting the review has not participated in a proceeding previously instituted pursuant to Chapter 120, F.S., on the order for which review is sought;

(d) If review of an order is being sought, whether and how the activity authorized by the order would substantially affect natural resources of statewide or regional significance, or whether the order raises issues of policy, statutory interpretation, or rule interpretation that have regional or statewide significance from a standpoint of agency precedent, and all the factual bases in the record which the petitioner claims support such determination(s); and

(e) The action requested to be taken by the Commission as a result of the review, whether to rescind or modify the order, or remand the proceeding to the water management district for further action, or to require the water management district to initiate rulemaking to adopt, amend or repeal a rule.

28-107.005 EMERGENCY ACTION

(1) If the agency finds that immediate serious danger to the public health, safety, or welfare requires emergency action, the agency shall summarily suspend, limit, or restrict a license.


(2) the 14-day notice requirement of Section 120.569(2)(b), F. S., does not apply and shall not be construed to prevent a hearing at the earliest time practicable upon request of an aggrieved party.

(3) Unless otherwise provided by law, within 20 days after emergency action taken pursuant to paragraph (1) of this rule, the agency shall initiate a formal suspension or revocation proceeding in compliance with Sections 120.569, 120.57. and 120.60, F.S.

40E-1.611 EMERGENCY ACTION

(1) An emergency exists when immediate action is necessary to protect public health, safety or welfare; the health of animals, fish or aquatic life; the works of the District; a public water supply, or recreational, commercial, industrial, agricultural or other reasonable uses of land and water resources.

(2) The Executive Director may employ the resources of the District to take whatever remedial action necessary to alleviate the emergency condition without the issuance of an emergency order, or in the event an emergency order has been issued, after the expiration of the requisite time for compliance with that order.



WARNING
IF THIS BAR DOES
NOT MEASURE 1/4"
THIS COPY OF
THIS DOCUMENT IS
NOT TO SCALE

CADD	NAME	DATE
DESIGNED BY	WOD	5/06
DRAWN BY	WOD	5/06
CHECKED BY	WOD	5/06
APPROVED BY	WOD	5/06
FILE:	location.dwg	



DRMP
ENGINEERS • SURVEYORS • PLANNERS • SCIENTISTS
Certificate of Authorization No. 2648

1505 East Colonial Drive - Orlando, Florida 32803

LOCATION MAP

DVC @ THE CONTEMPORARY
CONSTRUCTION TRAILER COMPOUND

LAKE BUENA VISTA,

FLORIDA

PROJECT NO.	00-0366.300
DATE	MAY 2006
SCALE	1"=1000'
EXHIBIT	1

Last Date For Agency Action: 11-SEP-2006

GENERAL ENVIRONMENTAL RESOURCE PERMIT STAFF REPORT

Project Name: Dvc @ The Contemporary Construction Trailer Compound

Permit No.: 48-00714-S

Application No.: 060713-12

Application Type: Environmental Resource (General Permit Modification)

Location: Orange County, S13/T24S/R27E

Permittee : Walt Disney World Company

Operating Entity : Reedy Creek Improvement District

Project Area: 2.89 acres

Project Land Use: Commercial

Drainage Basin: REEDY CREEK

Receiving Body: Reedy Creek via Reedy Creek Improvement District
Master System

Class: CLASS III

Special Drainage District: Reedy Creek Improvement District

Conservation Easement To District : No

Sovereign Submerged Lands: No

PROJECT PURPOSE:

Modification of an Environmental Resource Permit to authorize construction and operation of a surface water management system to serve a 2.89-acre commercial project known as DVC @ The Contemporary Construction Trailer Compound. Staff recommends approval with conditions.

PROJECT EVALUATION:**PROJECT SITE DESCRIPTION:**

The site is located east of World Drive and south of Canal L-404 within the Walt Disney World Complex in Orange County.

There are no permitted surface water management facilities within the project area. The site is presently undeveloped but contains an existing treatment swale that ties this project hydraulically into the master surface water management system for further water quality treatment and attenuation prior to ultimate discharge into Reedy Creek.

There are no wetland issues associated with the proposed project.

PROPOSED PROJECT:

Construction proposed consists of the surface water management system serving the improvements to the DVC @ The Contemporary Construction Trailer Compound.

The improvements consist of the construction of a construction trailer compound with the associated parking area, utilities, and surface water management facilities.

The water management system will consist of an inlet and the corresponding culvert to collect and convey project runoff to a proposed dry retention pond for the required water quality treatment prior to discharge into the RCID Master Surface Water Management System. Ultimately, discharge will reach Reedy Creek.

Governing water quality criteria consists of one inch of runoff over the site with a 50 percent credit for the dry retention scenario. The water quality treatment volume required is inclusive of all three basins of the project area (Basin 1 = 1.82 acres, Basin 2 = 0.59 acre, and Basin 3 = 0.49 acre) and will be provided solely within the limits of Basin 1. It should be noted that within Basins 2 and 3, ditch blocks are proposed within the existing swales along the proposed location of the construction trailers as a best management practice for additional water quality treatment.

Construction has been reviewed by Reedy Creek Improvement District and is in conformance with the master water management system design.

LAND USE:**Construction:****Project:****This Phase**

Building Coverage	.80	acres
Pavement	1.06	acres
Pervious	.68	acres
Water Mgmt Acreage	.35	acres

Total: 2.89

WATER QUANTITY :

Discharge Rate :

The proposed project is consistent with the land use and site grading assumptions from the design of the surface water management system. Therefore, the surface water management system for this project has not been designed to limit discharge for the design event to a specified rate.

Finished Floors :

As shown in the following table and the attached exhibits, minimum finished floor elevations have been set at or above the calculated design storm flood elevation.

Building Storm Frequency : 100 YEAR-3 DAY

Design Rainfall : 14.4 inches

Basin	Peak Stage (ft, NGVD)	Proposed Min. Finished Floors (ft, NGVD)	FEMA Elevation (ft, NGVD)
Site	96.2	96.2	N/A

Road Design :

Road Storm Frequency : 10 YEAR-3 DAY

Design Rainfall: 10.2 inches

Basin	Peak Stage (ft, NGVD)	Proposed Min. Road Crown (ft, NGVD)
Site	95.84	95.84

Parking Lot Design :

As shown in the following table and the attached exhibits, minimum parking lot elevations have been set at or above the calculated design storm flood elevation.

Parking Lot Storm Frequency : 10 YEAR-3 DAY

Design Rainfall 10.2 inches

Basin	Peak Stage (ft, NGVD)	Proposed Min. Parking Elev. (ft, NGVD)
Site	95.84	95.84

Control Elevation :

Basin	Area (Acres)	Ctrl Elev (ft, NGVD)	WSWT Ctrl Elev (ft, NGVD)	Method Of Determination
Site	2.89	92	92.00	Master System

Receiving Body :

Basin	Str.#	Receiving Body
Site	CS-3	Existing Master System

Discharge Structures: Note: The units for all the elevation values of structures are (ft, NGVD)

Culverts:

Basin	Str#	Count	Type	Width	Length	Dia.
Site	CS-3	1	Reinforced Concrete Pipe		95'	15"

Inlets:

Basin	Str#	Count	Type	Width	Length	Dia.	Crest Elev.
-------	------	-------	------	-------	--------	------	-------------

Discharge Structures:

Inlets:

Site	CS-3	1	Fdot Mod C Drop Inlet	24"	37"	95.5
------	------	---	-----------------------	-----	-----	------

WATER QUALITY :

No adverse water quality impacts are anticipated as a result of the proposed project. Governing water quality criteria consists of one inch of runoff over the site with a 50 percent credit for the dry retention scenario. The water quality treatment volume required listed below is inclusive of all three basins of the project area and will be provided solely within the limits of Basin 1.

Basin	Treatment Method		Vol Req.d (ac-ft)		Vol Prov'd (ac-ft)
Site	Treatment	Dry Retention	.35 acres	.12	.12

CERTIFICATION AND MAINTENANCE OF THE WATER MANAGEMENT SYSTEM:

It is suggested that the permittee retain the services of a Professional Engineer registered in the State of Florida for periodic observation of construction of the surface water management (SWM) system. This will facilitate the completion of construction completion certification Form #0881 which is required pursuant to Section 10 of the Basis of Review for Environmental Resource Permit Applications within the South Florida Water Management District, and Rule 40E-4361(2), Florida Administrative Code (F.A.C.).

Pursuant to Chapter 40E-4 F.A.C., this permit may not be converted from the construction phase to the operation phase until certification of the SWM system is submitted to and accepted by this District. Rule 40E-4.321(7) F.A.C. states that failure to complete construction of the SWM system and obtain operation phase approval from the District within the permit duration shall require a new permit authorization unless a permit extension is granted.

For SWM systems permitted with an operating entity who is different from the permittee, it should be noted that until the permit is transferred to the operating entity pursuant to Rule 40E-1.6107, F.A.C., the permittee is liable for compliance with the terms of this permit.

The permittee is advised that the efficiency of a SWM system will normally decrease over time unless the system is periodically maintained. A significant reduction in flow capacity can usually be attributed to partial blockages of the conveyance system. Once flow capacity is compromised, flooding of the project may result. Maintenance of the SWM system is required to protect the public health, safety and the natural resources of the state. Therefore, the permittee must have periodic inspections of the SWM system performed to ensure performance for flood protection and water quality purposes. If deficiencies are found, it is the responsibility of the permittee to correct these deficiencies in a timely manner.

RELATED CONCERNS:

Water Use Permit Status:

The applicant has indicated that dewatering is not required for construction of this project.

This permit does not release the permittee from obtaining all necessary Water Use authorization(s) prior to the commencement of activities which will require such authorization, including construction dewatering and irrigation, unless the work qualifies for a No-Notice Short-Term Dewatering permit pursuant to Chapter 40E-20.302(3) or is exempt pursuant to Section 40E-2.051, FAC.

Historical/Archeological Resources:

No information has been received that indicates the presence of archaeological or historical resources or that the proposed activities could cause adverse impacts to archaeological or historical resources.

DCA/CZM Consistency Review:

The District has not received a finding of inconsistency from the Florida Department of Environmental Protection or other commenting agencies regarding the provisions of the federal Coastal Zone Management Plan.

Enforcement:

There has been no enforcement activity associated with this application.

STAFF REVIEW:

DIVISION APPROVAL:

NATURAL RESOURCE MANAGEMENT:



Marc S. Ady


DATE: 9/5/06

SURFACE WATER MANAGEMENT:



Edward W. Yarn, P.E.

DATE: 9/5/06



WARNING
 IF THIS BAR DOES NOT MEASURE 1" THIS COPY OF THIS DOCUMENT IS NOT TO SCALE

CADD	NAME	DATE
DESIGNED BY	WMO	6/06
DRAWN BY	WMO	6/06
CHECKED BY	WMO	6/06
APPROVED BY	WMO	6/06
FILE:	post-basin1.dwg	



DRMP
 ENGINEERS • SURVEYORS • PLANNERS • SCIENTISTS
 Certificate of Authorization No. 2648

1505 East Colonial Drive - Orlando, Florida 32803

POST-DEVELOPMENT BASIN POST-1

DVC @ DISNEY'S CONTEMPORARY
 CONSTRUCTION TRAILER COMPOUND

LAKE BUENA VISTA,

PROJECT NO.	00-0366.300
DATE	JUNE 2006
SCALE	1"=100'
SHEET	1 of 3

FLORIDA




EXHIBIT 3B

WARNING
 IF THIS BAR DOES NOT MEASURE 1" THIS COPY OF THIS DOCUMENT IS NOT TO SCALE

CADD	NAME	DATE
DESIGNED BY	WOO	6/06
DRAWN BY	WOO	6/06
CHECKED BY	WOO	6/06
APPROVED BY	WOO	6/06

DRMP
 ENGINEERS • SURVEYORS • PLANNERS • SCIENTISTS
 Certificate of Authorization No. 2648

1505 East Colonial Drive - Orlando, Florida 32803

POST-DEVELOPMENT BASIN POST-2

DVC © DISNEY'S CONTEMPORARY
 CONSTRUCTION TRAILER COMPOUND

LAKE BUENA VISTA,

PROJECT NO.	00-0366.300
DATE	JUNE 2006
SCALE	1"=120'
SHEET	2 of 3

FLORIDA




EXHIBIT 3C

WARNING
 0 1/4 1/2 3/4
 IF THIS BAR DOES
 NOT MEASURE 1/4"
 THIS COPY OF
 THIS DOCUMENT IS
 NOT TO SCALE

CADD	NAME	DATE
DESIGNED BY	ooo	6/06
DRAWN BY	ooo	6/06
CHECKED BY	ooo	6/06
APPROVED BY	ooo	6/06
FILE:	post-bash3.dwg	



DRMP
 ENGINEERS • SURVEYORS • PLANNERS • SCIENTISTS
 Certificate of Authorization No. 2648

1505 East Colonial Drive - Orlando, Florida 32803

POST-DEVELOPMENT BASIN POST-3

DVC @ DISNEY'S CONTEMPORARY
 CONSTRUCTION TRAILER COMPOUND

LAKE BUENA VISTA,

PROJECT NO.	00-0366.300
DATE	JUNE 2006
SCALE	1"=100'
SHEET	3 of 3

FLORIDA

SCALE: 1"=50' NORTH

REVERSE ENTRANCE:
CONSTRUCT NEW 10' WIDE
PAVEMENT SECTION (AS SHOWN).
10' COMPACTED SHOULDER (BANK SIDE).
10' COMPACTED SHOULDER (BANK SIDE).
EXTENDING 10' 17" ON EACH SIDE.
MATCH EXISTING PAVE SLOPE.
MATCH EXISTING GRADES ON WEST & E.

CONSTRUCT AND FENCE WITH SLOPE
PROTECT EXISTING UTILITY
PIPE DETAIL THIS SHEET

WELL AND OVERLAY 24" ENTRANCE ROAD.
WELL AND OVERLAY 2" PER DETAIL.
ALL FILL CONDITIONS DO NOT EXCEED A 1:1 AND
CLEAN WORKING SURFACE WITH ALIGNED BASE AND
SUBGRADE. TYPICAL ROUNDED DETAIL AND
DO NOT EXCEED 24" FENCE HEIGHT ON EITHER
ON BOTH SIDES OF THE DRIVEWAY.

FIELD LOCATE FENCE AND BERM IN
A LOCATION WHERE ACCESS
AROUND FENCE WILL BE PROMOTED.

8" HIGH BERM, 500
AND 10' WIDE TO TOP.
TYP.

INSTALL BERM ON 6" CLF
AS SHOWN

NO FENCE
24" DOUBLE SHINGLED
CLIFF WITH WELLS AND
STRENGTHENED WALLS
(SEE DETAIL)

FRONT VIEW

FENCE AND BERM DETAILS

TOP VIEW

INSTALL DOUBLE ROW STUCCO
24" FENCE ALONG LIMITS OF
CONSTRUCTION IN PERVIOUS AREAS

APPROXIMATE 100-YEAR
FLOODPLAIN BOUNDARY
(ELEVATION 84.19 FT)

8" CAP AND
2" SLOPE OFF

BOTTOM OF SLOPE
AT INCLINE, TYP.

EXTEND FENCE INTO
SLOPE TO
PROHIBIT TRAFFIC, TYP.

SUB-CONSULTANT TRAILER SITE PLAN DVC • THE CONTEMPORARY CONSTRUCTION TRAILER COMPOUND				PROJECT NO. 00-0368.300			
DATE MAY 2008				SCALE 1"=50'			
SHEET 7 OF 10				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				APPROVED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			
CHECKED BY J. J. J. J.				CHECKED BY J. J. J. J.			
DATE MAY 2008				DATE MAY 2008			
SHEET 7 OF 10				SHEET 7 OF 10			
DRAWN BY J. J. J. J.				DRAWN BY J. J. J. J.			

STAFF REPORT DISTRIBUTION LIST

DVC @ THE CONTEMPORARY CONSTRUCTION TRAILER COMPOUND

Application No: 060713-12

Permit No: 48-00714-S

INTERNAL DISTRIBUTION

- X Annette V. Burkett - 2250
- X Eric Dephouse - 2250
- X Edward W. Yaun, P.E. - 2250
- X Marc S. Ady - 2250
- X A. Lee - 6850
- X ERC Engineering - 6850
- X ERC Environmental - 6850
- X M. Soto-4240
- X Permit File

EXTERNAL DISTRIBUTION

- X Permittee - Walt Disney World Company
- X Applicant - Reedy Creek Improvement District
- X Engr Consultant - Drmp Inc

GOVERNMENT AGENCIES

- X Div of Recreation and Park - District 6 - FDEP
- X Florida Department of Environmental Protection
- X Florida Fish & Wildlife Conservation Commission -
Imperiled Species Mgmt Section
- X Orange County - Environmental Protection Division
- X Orange County - Public Utilities Division
- X Orange County Engineer Public Works Division
Dvlpmnt Engineering Dept.
- X US Army Corps of Engineers Cocoa Regulatory Field
Office

OTHER INTERESTED PARTIES

- X Sierra Club - Central Florida Group P.O. Box 941692
- X Water Management Institute - Michael N. Vanatta